



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

**Bangs on New Birds.**<sup>1</sup>—In several recent papers in the Proceedings of the New England Zoölogical Club Mr. Bangs presents some important contributions to the ornithology of North and Middle America. He finds that the Paroquets which formerly ranged over the interior of the United States from Texas and Illinois to Colorado and the Great Lakes, differ materially from the South Atlantic and Gulf Coast birds in having the yellow paler and the green of a decided bluish tint. This form he names *Conuropsis carolinensis interior* (p. 94), type locality Bald Island, Nebraska.

A new race of *Calocitta*, *C. formosa pompata* is described (p. 102) in the same publication from Bolson, Costa Rica, and a third race of Scaled Quail is separated (p. 100) as *Callipepla squamata pallida* Brewster from Arizona, etc., true *C. squamata* being restricted to southern Mexico.—W. S.

**Oberholser's Monograph of the Nighthawks.**<sup>2</sup>—While some ornithologists will not agree with Mr. Oberholser's views as to the amount of sub-specific subdivision that is desirable there cannot, we think, be any difference of opinion as to the excellence and thoroughness of treatment that mark this, the latest of his systematic monographs. The thoroughness of the descriptions and technical discussion and the fullness of the synonymy and lists of specimens and localities leave nothing to be desired.

Mr. Oberholser comes to the conclusion that the Nighthawks including the genera *Chordeiles*, *Nannochordeiles*, *Nyctiprogne*, *Laurocalis* and *Podager* represent a family distinct from the Caprimulgidae which he here names Chordeilidae. Incidentally he finds differences between the Whip-poor-will and Chuck-wills-widow which seem to him to warrant their generic separation and *Setochoalcis* (p. 11) with *Caprimulgus vociferus* Wils. as its type, is proposed for the Whip-poor-wills. Of the genus *Chordeiles*, three species are recognized, *C. rupestris* comprising three subspecies, *C. acutipennis*, with five subspecies and *C. virginensis* with nine. The new forms are as follows, *C. v. howelli* (p. 57), Lipscomb, Texas, *C. a. micromeris* (p. 100), Xbac, Yucatan, *C. a. inferior* (p. 109), Triunfo, Lower California, *C. r. xyostictus* (p. 116), Bogota, Colombia, and *C. r. zaleucus* (p. 118), Pebas, Peru. Six plates illustrate the palatal structure of *Chordeiles*, *Caprimulgus*, *Antrostomus* and *Setochoalcis* and the geographic range of the various races of Nighthawks.—W. S.

---

<sup>1</sup> An Unnamed Race of the Carolina Paroquet. By Outram Bangs. *Proc. N. E. Zool. Club*, IV, pp. 93-94. Nov. 26, 1913.

The Geographic Races of the Scaled Quail. By Outram Bangs. *do.*, pp. 99-100. March 9, 1914.

A New Magpie-Jay from Western Costa Rica. By Outram Bangs. *do.*, pp. 101-102. March 13, 1914.

<sup>2</sup> A Monograph of the Genus *Chordeiles* Swainson, Type of a New Family of Goatsuckers. By Harry C. Oberholser, of the Biological Survey, United States Department of Agriculture. *Bull.* 86, U. S. National Museum, pp. 1-123, pls. 1-16